

2017-2018 School Year

School Entry Immunization Requirements

Below are the number of doses and each vaccine required for school entry. Changes for this year include the Hepatitis A vaccine for grades K–3.

<i>3 to 5 years old</i>	3 Hep B (Hepatitis B) 4 DTaP (Diphtheria, Tetanus & Pertussis) 3 Polio (Inactivated Polio) 1 MMR (Measles, Mumps & Rubella) 1 Varicella	
<i>K-3rd grade</i>	3 Hep B 5 DTaP 4 Polio	2 MMR 2 Varicella 2 Hep A (Hepatitis A)
<i>Grades 4 to 5</i>	3 Hep B 5 DTaP 4 Polio	2 MMR 2 Varicella 2 Hep A*
<i>Grades 6 to 11</i>	3 Hep B 5 DTaP 4 Polio 2 Hep A*	2 MMR 2 Varicella 1 Tdap (Tetanus & Pertussis) 1 MCV4 (Meningococcal)
<i>Grade 12</i>	3 Hep B 5 DTaP 4 Polio 2 Hep A*	2 MMR 2 Varicella 1 Tdap (Tetanus & Pertussis) 2 MCV4 (Meningococcal)

Hep B The minimum age for the 3rd dose of Hepatitis B is 24 weeks of age.

DTaP Four doses of DTaP/DTP/DT are acceptable if 4th dose was administered on or after child's 4th birthday.

Polio Three doses of Polio are acceptable for all grade levels if the third dose was given on or after the 4th birthday and at least 6 months after the previous dose with only one type of vaccine used (all OPV or all IPV). For students in grades kindergarten through 5th grade, the final dose must be administered on or after the 4th birthday, and be administered **at least 6 months** after the previous dose.

Varicella Physician documentation of disease history, including month and year, is proof of immunity for children entering preschool through 7th grade. Parental report of disease history is acceptable for grades 8-12.

MCV4 Individuals who receive dose 1 after their 16th birthday only need 1 dose of MCV4.

Hep A The minimum interval between 1st and 2nd dose is 6 calendar months. K-3 is required.

*For grades 4-12, two doses of Hep A are recommended.

2018-2019 School Year (Proposed)

School Entry Immunization Requirements

Below are the number of doses and each vaccine required for school entry. Changes for this year include the Hepatitis A requirement for grades K—4, 6 and 12th grade.

3 to 5 years old	3 Hep B (Hepatitis B) 4 DTaP (Diphtheria, Tetanus & Pertussis) 3 Polio (Inactivated Polio) 1 MMR (Measles, Mumps & Rubella) 1 Varicella	
K -4th grade	3 Hep B 5 DTaP 4 Polio	2 MMR 2 Varicella 2 Hep A (Hepatitis A)
Grade 5	3 Hep B 5 DTaP 4 Polio	2 MMR 2 Varicella 2 Hep A*
Grade 6	3 Hep B 5 DTaP 4 Polio 2 Hep A	2 MMR 2 Varicella 1 Tdap (Tetanus & Pertussis) 1 MCV4 (Meningococcal)
Grades 7 to 11	3 Hep B 5 DTaP 4 Polio 2 Hep A*	2 MMR 2 Varicella 1 Tdap (Tetanus & Pertussis) 1 MCV4 (Meningococcal)
Grade 12	3 Hep B 5 DTaP 4 Polio 2 Hep A	2 MMR 2 Varicella 1 Tdap (Tetanus & Pertussis) 2 MCV4 (Meningococcal)

Hep B The minimum age for the 3rd dose of Hepatitis B is 24 weeks of age.

DTaP Four doses of DTaP/DTP/DT are acceptable if 4th dose was administered on or after child's 4th birthday.

Polio Three doses of Polio are acceptable for all grade levels if the third dose was given on or after the 4th birthday and at least 6 months after the previous dose with only one type of vaccine used (all OPV or all IPV). For students in grades kindergarten through 6th grade, the final dose must be administered on or after the 4th birthday, and be administered **at least 6 months** after the previous dose.

MCV4 Individuals who receive dose 1 on or after their 16th birthday only need 1 dose of MCV4.

Hep A The minimum interval between 1st and 2nd dose is 6 calendar months. Two doses of HepA is required for K-4, 6th and 12th grades.